



**CS**



**CS...C**



**CS...D**

080	IS	PAM		Motore normale / Standard motor / Normaler Motor / Moteur normal / Motor normal			Motore autofrenante / Brake motor / Bremsmotor / Moteur frein / Motor-freno				
	~Kg	A	~Kg	X	Y	Z	~Kg	X	Y	Z	~Kg
71	39	49	32.9	221	139	112	36.5	285	139	128	38.7
80		70	35	248	158	122	41.6	321	158	137	45
90s		70	35	276	173	130	44	353	173	130	49.5
90l		70	35	301	173	130	45.5	378	173	130	51
100		85	37	335	191	139	50.6	417	191	139	56
112		85	37	356	211	154	62	453	211	154	71.7
132s		110	39.7	396	249	194	76	495	249	194	86.3
132m		110	39.7	443	249	194	87.6	547	249	194	102.3

Per le dimensioni relative alla zona attacco motore (Pm, Dm, bm, tm) fare riferimento alla tabella di pag. 223.  
 For the dimensions concerning the motor connection area (Pm, Dm, bm, tm) please refer to the table shown at page 223.  
 Zu den Abmessungen des Motoranschlußflansches (Pm, Dm, bm, tm) siehe Tabelle auf Seite 223.  
 Pour les dimensions concernant la zone de montage du moteur (Pm, Dm, bm, tm) lire SVP le tableau à la page 223.  
 Para las magnitudes correspondientes a la zona del motor (Pm, Dm, bm, tm) consulte la tabla de la página 223.

